



## Marker Policy

The following policy was reviewed by the Cemetery Board on June 14, 2016:

- 1) All markers must be made of Granite or Bronze.
- 2) All markers must be flat and flush with ground level.
- 3) All granite markers must be a minimum of 4 inches thick.
- 4) All portraits must be made out of Ceramic Steel.
- 5) Maximum of 2 markers per single/companion grave site(s).
- 6) Only one marker per double depth space allowed. It shall be a 34" x 28" x 4" half ledger in granite.
- 7) Vases in concrete marker borders not allowed.
- 8) Separate vase must be in a granite 12" x 12" x 4" block or 8" x 8" x 4" concrete block. Any other size must be pre-approved in writing by the Cemetery Manager.
- 9) Inspection fee on all outside marker sales.
- 10) Headstone and vases are private property owned by the respective family and their care is responsibility of the family.

### Length x Width x Thickness

---

24" x 12" x 4"	(Urn Garden or Child's Place)
28" x 16" x 4"	(Individual or Urn Garden Companion)
32" x 20" x 4"	(Individual or Companion)
36" x 18" x 4"	(Companion)
44" x 20" x 4"	(Companion)
28" x 34" x 4"	(Companion/Double Depth)

---

### Upright Section

- Excludes pillow or slant style markers.
- All bases and foundations must be made of granite.
- All foundations must be a minimum of 4" thick.
- All monuments must be a minimum of 6" thick.
- Any monument or base must allow a 6" minimum set back from any property owned by others.
- Flat markers not allowed unless the grave or graves are marked by an upright marker first.